

Myc Tag Antibody

Goat Polyclonal
Antigen Affinity Purified
Catalog No. S190-104
Conjugate Agarose Immobilized
GeneID 4609



APPLICATIONS IP
AMOUNT 0.1 mg antibody/0.4 ml of 50% gel slurry
STORAGE/SHELF LIFE 2 – 8° C / 1 year from date of receipt
PHYSICAL STATE Liquid
BUFFER Phosphate Buffered Saline (PBS) containing 0.09% Sodium Azide
ORIGIN USA
PRODUCTION PROCEDURES Goats were immunized with c-myc (EQKLISEEDL) conjugated to KLH.

Antibody was affinity purified using the peptide immobilized on solid support. Goat anti-c-myc affinity purified antibodies were coupled to agarose beads using a cyanogen bromide method. Final concentration is 0.1 mg antibody in 0.4 ml of 50% slurry containing 0.2 ml agarose.

Antibody concentration was determined by extinction coefficient: absorbance at 280 nm of 1.4 equals 1.0 mg of IgG, before coupling to agarose beads.

APPLICATIONS Centrifuge tube to remove product from lid. Optimal working dilutions should be determined experimentally by the investigator. Prepare working dilution immediately before use.

Immunoprecipitation 15 – 25 μ l of gel slurry per 0.1 to 1 mg of protein lysate or extract

ADDITIONAL INFO <https://www.bethyl.com/product/S190-104>
Use the link above to view SDS, a current list of citations, and other product specific information.